


Canopies - Overview

General properties

Shielding canopies provide a simple and low-cost method for a complete shielding of beds. We sew different models out of different fabrics. On the following pages you can find an overview. For shielding of below, we recommend our floor mats.

Floor mats

We also recommend shielding the canopies from below, to achieve a complete faraday cage. Our floor mats are layed under the bed, or better under a carpet. With the sewn in ground connection sockets, compatible to our grounding system, low-frequency electric fields (LF) can be shielded easily (e.g. from the ceiling lightning from below).




Canopies - Fabrics

YSHIELD®

Voile


EX STOCK



Our favourite fabric from Swiss Shield® with good allround features, if you need a high attenuation! Good light- and air permeability, good look through, mechanically stable and crease resistant. Disadvantage: Anyway none! Attenuation 36 dB at 1 GHz. Not groundable.

Silver-Tulle


EX STOCK



Full silvered high-end fabric with a maximum high attenuation! Reasonable light- and air permeability, mechanically stable, crease resistant. Very high washing restistance. Disadvantage: Due to the 20 % silver content only the price. Attenuation 50 dB at 1 GHz. Groundable with our grounding plate Velcro GV.

Naturell

UPON REQUEST



Our classic fabric from Swiss Shield® made from ecological cotton with high attenuation. Acceptable light- and air permeability. Disadvantage: Like other cotton fabrics not crease resistant after washing. Attenuation 38 dB at 1 GHz. Not groundable.

New-Daylite

UPON REQUEST



Our classic fabric from Swiss Shield® with good allround features! High light- and air permeability, mechanically stable, crease resistant. Disadvantage: Due to the mesh width only limited attenuation at high frequencies. Attenuation 25 dB at 1 GHz. Not groundable.

Canopies - Models

Box shape - double bed



This box shaped canopy offers a spacious ambience. For double beds up to 220 cm width. Bed-making is easily possible without lifting the canopy away.

- Width: 220 cm, depth: 220 cm, height: 220 cm (All sizes depending on the fabric with +/- 10 % tolerance)
- Entries: Two overlapping openings
- Mounting: By four points on the ceiling. Any kinds of bars (not included in delivery) can be inserted into the sewed fabric tunnel to stabilize the canopy installation.
- Scope of supply: Canopy, mounting accessories

Box shape - single bed



This box shaped canopy offers a spacious ambience. For single beds up to 120 cm width. Bed-making is easily possible without lifting the canopy away.

- Width: 120 cm, depth: 220 cm, height: 220 cm (All sizes depending on the fabric with +/- 10 % tolerance)
- Entry: One overlapping opening
- **Mounting:** By four points on the ceiling. Any kinds of bars (not included in delivery) can be inserted into the sewed fabric tunnel to stabilize the canopy installation.
- Scope of supply: Canopy, mounting accessories

Pyramidal shape - single bed



This paramidal shape canopy is desirable, if you need fast mounting or if you have a roof **pitch**. Only suitable for single beds up to 100 cm width, since otherwise the slope gets too big. Disadvantage: Offers only limited free space and you have to lift the canopy away for bed-making.

- Bottom circumference: 1150 cm, height: 240 cm (All sizes depending on the fabric with +/- 10 % tolerance)
- **Entry:** Through the overlapping opening
- Mounting: By one point on
- the ceiling Scope of supply: Canopy, mounting accessories, 100 cm

ring


U1S/U2S - Floor mats

YSHIELD®





YSHIELD® GV



With **35 dB attenuation** optimal for all canopies made from NEW-DAYLITE, EVO-ULTRA, VOILE, NATURELL.

Made from our shielding fabric STEEL-TWIN. The stainless-steel-side should face towards the floor, the white cotton-side upwards.

Directly layed under the canopy, the sewed edges would be too thick under a carpet.

Technical data

- Attenuation: 35 dB
- Size single bed (U1S): Width 140 cm, length: 250 cm
- Size double bed (U2S): Width 270 cm, length: 250 cm
- Scope of supply single bed (U1S): 1 sheet Steel-Twin.
 Grounding: 1 plate GV, 1 cable GC500, 1 plug GD have to be ordered seperately.
 - Scope of supply double bed (U2S): 2 sheets Steel-Twin.
 The two sheets are layed 10 cm overlapping. Grounding: 2 plates GV, 2 cables GC20/GC500, 1 plug GD have to be ordered seperately.
- With sewed on Velcro-areas for our grounding plate GV.