



Installation Instructions

AQ-4600 & AQ-4601 Under Counter Water Filter

Chrome (4600 & 4601), Brushed Nickel and Oil-Rubbed Bronze finishes (4601)

Welcome to the Aquasana experience. You are about to enjoy clean, clear water and the peace of mind that comes from knowing award-winning filter technology is working for you.

Installation must comply with state and local laws.

Contents



Standard
(Model no. AQ-4600)

Premium
(Model no. AQ-4601)

Faucet and hose assembly (1 included, either standard or premium)




Filter Unit



Filter cartridges (A & B)
pre-installed in filter unit
(Model no. AQ-4035)



Filter Unit mounting
bracket (mounting tape
and screws included)



O-ring, washer and nut for
faucet installation



Brass faucet T adapter with
brass insert, plastic sleeve
& brass nut



This Aquasana filter system can only be used with Aquasana faucets. The faucet included with your system was specifically designed to relieve the water pressure on the filter unit when not in use. Use of other faucets may cause excess pressure and leaking of the filter unit resulting in water damage to your home. Your Aquasana warranty is voided if the product is used with parts other than those provided by Aquasana. Aquasana is not responsible for damage or leaking caused by the use of non-Aquasana parts. If you have any questions, please call 866-662-6885.








The AQ-4601 Premium comes in three designer finishes, Chrome, Brushed Nickel and Oil-Rubbed Bronze.



AQ-4601 Premium Under Counter Filter in Chrome finish.

Easy to install



Run your Aquasana faucet 10 minutes for its first use after installation, then enjoy crisp, clean water!

You should anticipate a residual flow of water each time you use the filter, as the system is vented and designed to clear the line.



The AQ-4600 and AQ-4601 come complete with all filters and attachments needed start to drinking clean, clear water in minutes. (AQ-4601 shown in chrome.)

“Pure Satisfaction”

All Aquasana products offer a 90-day 100% satisfaction guarantee. (A 1-year warranty is included, which covers defects in materials and workmanship.) If for any reason you are not satisfied with your purchase, simply call us or the dealer you purchased from. A Return Authorization Code and a full refund will be promptly issued upon return. Thank you for choosing Aquasana!

This filter system is designed and tested for use with genuine Aquasana parts, including replacement filters and all hardware. Use of parts from other manufacturers may result in loss of contaminant reduction performance, system damage or failure. Use of parts from other manufacturers will also void your warranty. Please visit www.aquasana.com for all replacement parts.

Important:

For the first 72 hours this faucet will drip intermittently, until the filters become fully saturated. Once they are saturated you should anticipate a residual flow of water each time you use the filter, as the system is vented and designed to clear the line.

Precautions:

Aquasana is not liable for consequential or incidental damages due to improper installation.

- **Filter is only to be used with cold water.**
- Never use this system on constant pressure applications such as ice makers or drinking fountains.
- If you experience a leak at the hose connection, disconnect and re-seat the hose.

Model: AQ-4600/4601

Replacement cartridge: AQ-4035

Rated service flow: 0.4 gpm

Max capacity: 500 gal

Min working pressure: 20 psi

Max working pressure: 80 psi

Max operating temperature: 90° F

Do not use with water that is microbiologically unsafe or of unknown water quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.



Aquasana, Inc.

6310 Midway Road
Haltom City, Texas 76117
866.662.6885 USA
877.332.7873 Canada
www.aquasana.com

For exclusive deals

 facebook.com/aquasana
 twitter.com/aquasana